

Form - IV
(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


S.No.	Particulars	
1	Particulars of the Occupier (i) Name of the authorised person (occupier or operator of facility) (ii) Name of HCF or CBMWTF (iii) Address for Correspondence (iv) Address of Facility (v) Tel. No, Fax, No (vi) E-mail ID (vii) URL of Website (viii) GPS coordinates of HCF or CBMWTF (ix) Ownership of HCF or CBMWTF (x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules (xi). Status of Consents under Water Act and Air Act	Dr. Promod Kumar Berwal PBM & Associate group of Hospital Bikaner. Superintendent office PBM & Associate group of Hospital Bikaner. PBM & Associate group of Hospital Bikaner. 0151-226304,0151-2528814 Superintendent_pbm@yahoo.com www.education.rajasthan.gov.in/spmcbikaner 28.004474,73.331427 State Government Under process not known
2	Type of Health Care Facility (i) Bedded Hospital (ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) (iii) License number and its date of expiry	No. of Beds -: 2088 Not Applicable
3	Details of CBMWTF (i) Number healthcare facilities covered by CBMWTF (ii) No of beds covered by CBMWTF (iii) Installed treatment and disposal capacity of CBMWTF; (iv) Quantity of biomedical waste treated or disposed by CBMWTF	Not Applicable Not Applicable Not Applicable Not Applicable
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 7286 (monthly avg.) Red Category : 48 (monthly avg.) White: 3 Blue Category : 43 General Solid waste: data not available
5	Details of the Storage, treatment, transportation, processing and Disposal Facility (i) Details of the on-site storage facility	Size Storage area is under construction. Capacity : Storage area is under construction. Provision of on-site storage: (cold storage or any other provision) Storage area is under construction.

disposal facilities	Type of treatment equipment	No of units	Capacity kg/day	Quantity treated or disposed in kg per annum
	Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or-destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection Any other treatment equipment:			Done by CBMWTF
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.			Red Category (like plastic, glass etc.)	Not Applicable
(iv) No of vehicles used for collection and transportation of biomedical waste				Not Applicable
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed	
		Incineration Ash ETP Sludge	}	Not Applicable
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator which wastes are disposed of				M/s E-Tech Projects Bikaner.
(vii) List of member HCF not handed over bio-medical waste.				Not Applicable
6 Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.				Yes, minutes of meeting enclosed
7 Details trainings conducted on BMW				
(i) Number of trainings conducted on BMW Management.				20 (In wards hands on)
(ii) number of personnel trained				All health care workers trained
(iii) number of personnel trained at the time of induction				All health care workers trained
(iv) number of personnel not undergone any training so far				Nil
(v) whether standard manual for training is available?				Yes
(vi) any other information)				Nil
8 Details of the accident occurred during the year				Nil

	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Nil
	(iv) Any Fatality occurred, details.	Nil
9	Are you meeting the standards of air Pollution from the incinerator? How many Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
10	Details of Continuous online emission monitoring systems installed	Not Applicable
11	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Under Process
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 1 Jan , 2017 to 31 Dec.,2017

.....
.....
.....


अधीक्षक
 पी.वी.एम. संबद्ध धिकिंत्सालय वर्ग
 बीकानेर

Date: 30th June, 2018

Place: Bikaner