

RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered



F(BMW)/JAIPUR(Jaipur)/14(1)/2008-2009/702-703

Date: 14/06/2017

Unit Id : 902

FORM IV

(SEE Rule 10 of BMW Rules, 2016)

(Authorization for operating a facility for Collection, Generation, Reception, Storage of Biomedical Wastes)

- 1 Authorization Letter No. BMW/2017-2018/Jaipur/BMW/75.
- 2 **DR. LEENESHWAR HARSHVARDHAN, MEDICAL SUP. of Govt. Satellite Hospital is hereby granted an authorization under Rule 10 of Bio-Medical Waste (Management & Handling) Rules, 2016 (BMW Rules,2016) to operate a facility for Collection, Generation, Reception, Storage of biomedical waste on the premisses situated at Bani Park, , Tehsil Jaipur(Vkia), District Jaipur.**
- 3 This authorization shall be in force for a period from 01/06/2017 to 31/05/2022 .
- 4 This authorization is valid for operation of the Hospital with 50 (fifty) number of beds.
- 5 This authorization is subject to the conditions contained in enclosed annexure and to such other conditions/guidlines as may be specified under BMW Rules, 2016 by Central Pollution Control Board, Delhi or Ministry of Environment & Forests(MoEF), Government of India (GOI) or Department of Environment (DOE), Government of Rajasthan (GOR).
- 6 Segregation, packing, transportation, storage, treatment & disposal of bio medical waste shall be in accordance with Rule 7 & 8 of BMW Rules, 2016. The bio medical waste shall be disposed of at Common Biomedical Waste Treatment & Disposal Facility (CBMWTF) established for the area viz Govt. Satellite Hospital.
- 7 The mercury bearing waste arising due to breakage of thermometers,pressure gauges and other instruments is not to be treated as bio-medical waste or other solid waste.The mercury bearing waste is to be segregated, collected , stored and disposed in accordance with the provisions of Hazardous Waste and other wastes (Management and Transboundary Movement) Rules, 2016.
- 8 The Annual report in accordance with Rule 13 for the period 1st January to 31st December of previous year shall be submitted On or before 30th June of every year in form - IV as prescribed in the Rules and the annual report shall also be made available on the web-site of the occupier. Further, all the health care facilities shall develop their website within two years from the date of notification of the BMW Rules,2016, in case not already developed.

Signature valid

Digitally signed by
MUNESH
CHANDR
SHARMA
Date: 2017.06.14
12:55:24 +05:30

RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur)/14(1)/2008-2009/702-703

Date: 14/06/2017

Unit Id : 902

- 9 The hospital shall maintain the record of biomedical waste as per Rule 14 & shall be produced during the inspection.
- 10 That the hospital shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of the BMW Rules, 2016.
- 11 That the hospital shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one years from the date of the notification of the BMW Rules, 2016.
- 12 That the hospital shall provide training to all its health care workers and others, involved in handing of bio-medical waste at the time of induction and thereafter at least once every year and the details of training programs conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report.
- 13 The application for renewal of authorization shall be submitted online in prescribed form along with requisite fee, affidavit, assessment format, annual report & copy of valid agreement with CBMWTFD at least 120 days before the date of expiry of this authorization.
- 14 In case of expansion in bed capacity or increase in pollution load, the hospital shall obtain prior Consent to Establish under Water (Prevention and Control of Pollution) Act, 1974, Air (Prevention and Control of Pollution) Act, 1981 & revised Authorization under BMW Rules, 2016.
- 15 That the hospital shall comply the provisions of Bio-medical Waste Management Rules, 2016.
- 16 That the hospital shall comply with the standards for treatment disposal of Bio-medical Waste as specified under schedule II of Bio-medical Waste Management Rules, 2016.
- 17 That infected hospital liquied waste must be given chemical treatment by using at least 10% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection as prescribed in part-2 of schedule-I of the Rules.



RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur)/14(1)/2008-2009/702-703

Date: 14/06/2017

Unit Id : 902

- 18 This authorization is not evidence for ascertaining entitlement of land.
- 19 That all safety measures, as per fire safety regulation, shall be installed in the hospital premises and permission for the same shall also be obtained from competent authority.
- 20 That this authorization shall be subject to compliance of any direction or order passed by Court of Law in the matter.
- 21 That this authorization is subject to validity of contractual agreement with CBMWTFD.
- 22 That the disposal of Bio Medical Waste through any unauthorized person/agency other than CBMWTFD is punishable under the provisions of Biomedical Waste Management Rules, 2016 and Environment (Protection) Act, 1986.
- 23 That the liquid waste generated from the hospital activities shall be treated up to prescribed standards as per the Biomedical Waste Management Rules, 2016 and disposed as per the provisions of Water (Prevention and control of pollution) Act, 1974.
- 24 That hospital shall maintain record of water consumption.
- 25 That the hospital shall maintain record of collection, storage and transportation of bio-medical waste to Common Bio-Medical Waste Treatment and Disposal Facility (CBWTFD) for disposal. The quarterly abstract related to the collection, storage, transportation and disposal shall be submitted to the H.O. and Regional Office in the format given below:

Sr. No.	Month & Year	Disposal of bio-medical waste as per colour code (in Kg.)				Number of collection trips by CBMWTFD
		Yellow	Red	Blue / White	Black	

- 26 This Authorization is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with the conditions laid down in all other laws for the time being in force, rests with the hospital/ unit / project proponent.

Signature valid
Digitally signed by
RSPCB
14/06/2017 16:14
Date: 2017.06.14
12:55:04 +05:30



RAJASTHAN STATE POLLUTION CONTROL BOARD

Opp. Road No 5, VKIA, Sikar Road, Jaipur

Phone: 0141-2332263

Registered

F(BMW)/JAIPUR(Jaipur)/14(1)/2008-2009/702-703

Date: 14/06/2017

Unit Id : 902

27 This Authorization shall not, in any way, adversely affect or jeopardize the legal proceedings, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made there under.

Enclose :- Annexure

Yours Sincerely

Regional Officer

Copy To:-

1 Master File

Regional Officer

To :

M/s Govt. Satellite Hospital

Banipark, Tehsil:Jaipur,

District:Jaipur.

Signature valid

Digitally signed by
RAMESH
CHAUDHARY
SHA-256
Date: 2017.06.14
12:55:24 -05:30